



EC CERTIFICATE

EC – CERTIFICATE OF CONSTANCY OF PERFORMANCE 0843 – CPR – 258

In compliance with the Regulation (EU) 305/2011 of the Council of European Communities of 9th March 2011 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products (Construction Products Regulation – CPR), it has been stated that the construction product

Pillar Fire Hydrant Models A-421, A-423, A-433 and A-435

placed on the market by

Mueller Co.,
6125 Preservation Drive
Chattanooga, TN. 37416-3734

and produced in the factory

Mueller Co.
956 INDUSTRIAL BLVD
ALBERTVILLE AL 35950-8730

is submitted by the manufacturer to a Factory Production Control and that the approved body UL International (UK) Ltd., Notified Body 0843 has performed the Product Determination Type Testing for the relevant characteristics of the product, the Initial Inspection of the factory and of the Factory Production Control and performs the continuous surveillance, assessment and approval of the Factory Production Control.

This certificate attests that all provisions concerning the Assessment and Verification of Constancy of Performance and the performance described in Annex ZA of the Standard:

EN 14384

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on 24 November 2015 and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Issue Date: November 24, 2015

Signature

Chris Miles
UL International (UK) Ltd



EC CERTIFICATE

Annex: Detailed information sheet

Certificate Number: 0843-CPR-258

Product/Device description: Pillar Fire Hydrant Models A-421, A-423, A-433 and A-435

Applicant designation:

Mueller Co.,
6125 Preservation Drive
Chattanooga, TN. 37416-3734

Product Information: Pillar Fire Hydrant Models A-421, A-423, A-433 and A-435

The referenced product complies with: The relevant requirements as per EN 14384 – Pillar Fire Hydrants

The following were unevaluated:

4.5	Materials including lubricants in contact with water intended for human consumption++
4.11	Operating Mechanism design for country of use++
4.12	Inlet Connections++
4.13	Outlets++
4.15	Not equipped with security housing
4.17	Colour shall comply with the national regulations of use++
4.19	Hydrants for non-potable water systems

++No Performance Determined – Specific to country of use

Issue Date: November 24, 2015

Signature

Chris Miles
UL International (UK) Ltd